



Special Edition: Native Tree and Shrub Sale 2005

Horizons



BENTON SOIL AND WATER CONSERVATION DISTRICT—SERVING BENTON COUNTY SINCE 1956



2005 Native Tree and Shrub Sale

Order form enclosed

| | |
|-----------------------------------|-------|
| <i>Inside this issue...</i> | |
| Annual Meeting Invitation | 1 |
| 2005 Plant Descriptions | 2 - 4 |
| Order form | 5 - 6 |
| Please note the following: | |
| • New payment policy | |
| • Plant pick-up dates | |
| NRCS EQIP notice | 7 |
| Our Mission.... | 8 |

Volunteers Needed!

Interested in learning more about Native Plants?

Benton SWCD is seeking volunteers to help with our Native Tree and Shrub Sale during the week of January 31 through February 6, 2005.

Volunteer tasks include the following:

- Plant pick-up from local nurseries
- Filling orders
- Order organization and data entry
- Assisting customers

For more information call the Benton SWCD office at 753-7208

You are cordially invited to the

Benton Soil and Water Conservation District 2004 Annual Meeting
Corvallis Public Library Meeting Room

Tuesday, December 7

Doors open at 6:30 pm † Meeting begins at 7 pm

Please join us for an informative evening based on the theme of

Native Plants

complemented with music, exhibits, award presentations, and a silent auction.


Guest speakers:

“Restoration Ecology in Benton County Natural Areas and Parks”

Allan Kitzman, Park Superintendent, Benton County Natural Areas & Parks

“A Gallery from Our Heritage Landscape”

Esther Gruber McEvoy



2005 Plant Descriptions

CONIFERS

| Name | Mature Height | Sun ‡ | Soil Conditions | Special Uses * | Notes |
|---|---------------|-------|---|------------------|---|
| Douglas fir <i>Pseudotsuga menziesii</i> | 200'+ | A | Grows on all but wettest soil | Timber 1, 2a | Oregon's State tree can live over 1000 years. Thick bark enables it to survive moderate fire. |
| Grand fir <i>Abies grandis</i> | 250' | C | Prefers moist soils | Timber Xmas tree | Tall conifer which is shade tolerant and suited to inter-planting in existing under-stocked forests. |
| Incense cedar <i>Calocedrus decurrens</i> | 100+ | A | Prefer dry sites. | 2a, 3 | Attractively shaped conifer with dense foliage often used in home landscapes. Wood has pleasant odor. |
| Western hemlock <i>Tsuga heterophylla</i> | 50' – 100' | A-C | Fairly dry to wet sites. | Timber 2a, 3 | Attractively shaped, adaptable conifer, seedlings prefer to develop under shade. Washington State tree utilized extensively by Native Americans. Seeds important food source for birds and small mammals. |
| Western red cedar <i>Thuja plicata</i> | 180' | B | Moist to poorly drained | Timber 1, 2a, 4 | Excellent for wildlife cover and for restoration projects, and as an ornamental. Fragrant wood and foliage. |
| WV ponderosa pine <i>Pinus ponderosa</i> | 180' | A | Adaptable – grows on wet and dry sites. | Timber 3 | Native pine to Willamette Valley also known as Yellow Pine. Popular for its straight growth habit which exposes scaled colored bark with a vanilla fragrance. |
| Coast Redwood <i>Sequoia sempervirens</i> | 200–240' | A-B | Well drained soil important | Timber | Grows 70-90 ft in 25 years. Yearly growth rate is 4-6 ft. Make excellent screens. Wood resists decay. |
| Giant Sequoia <i>Sequoia giganteum</i> | 250' | A | Dry | Timber | Tallest tree on Earth. Yearly growth rate 3 – 4 ft. Bark protects tree from fire. |
| Nobel Fir <i>Abies procea</i> | 200' | A | Moist soil, well drained | Xmas trees | One of most highly prized Christmas tree species. Not a rapid grower. |

HARDWOODS

| | | | | | |
|---|--------|-----|---------------------------|------------------|--|
| Big leaf maple <i>Acer macrophyllum</i> | 100' | A-B | Moist, well drained soil | 1,3 | Hardy and majestic, makes a great shade tree. |
| Black cottonwood <i>Populus trichocarpa</i> | 180' | A | Flood plains | Timber 2a, 3, 4 | Fast growing with dark gray bark. Important browse for deer and elk. Nesting habitat for large birds. |
| Oregon ash <i>Fraxinus latifolia</i> | 75' | A | Wet areas and floodplains | Timber 4 | Grayish-brown bark and olive green leaves. Good restoration species. Abundant seed producer. |
| Oregon white oak <i>Quercus garryana</i> | 100' | A | Well drained soils | Timber 1, 2a, 2b | Oregon's hallmark native oak. Forms wide spreading branches and grows to 100-ft. Important wildlife species. |
| Pacific madrone <i>Arbutus menziesii</i> | 90' | A-B | Prefer dry sites | 1, 3 | Like a giant rhododendron! This fast growing evergreen has beautiful smooth reddish and golden "bark." |
| Red alder <i>Alnus rubra</i> | 75' | A | Moist soils, wet areas | Timber 1, 2a, 2b | Good species to plant along streams to provide shade and erosion control. |
| Vine maple <i>Acer circinatum</i> | 25' | A-C | Moist soils | 1, 2a, 2b | Attractive fall colors. Suitable for shade ornamental or forest under-story plant. |
| White alder <i>Alnus rhombifolia</i> | 40-80' | A-B | Moist soils | 2a, 3, 4 | Provides excellent shade and erosion control along streams. Tolerant of seasonal inundation and drought. Nitrogen fixing and cold hardy. |

GRASSES / GRASS SEED

| | | | | | |
|--|--------|-----|------------------------------|-------|--|
| Tufted Hair Grass (Alea) <i>Deschampsia caespitosa</i> | 3-5' | A-B | Rivers / bays, sand, clay | 3, 4 | Use along shoreline for erosion control. |
| Tufted Hair Grass (Kalapuya) <i>Deschampsia caespitosa</i> | 3-5' | A-B | Throughout Willamette Valley | 3, 4 | Good drought tolerance. Excellent tolerance of very wet winter conditions. Attractive as ornamental. Can spread via roots as well as seedlings. |
| Roemer's Fescue <i>Festuca roemeri</i> | | B | Moderately dry | - | Use in upland restoration, cut slope erosion control, open rocky meadows, and sloping transitional zones associated with dry prairies. Drought tolerant and good ground cover. |
| Blue Wild Rye seed <i>Elymus glaucus</i> | | A-B | Sand, clay, seasonal flood | - | Quick erosion control on disturbed sites, roadsides, woodlots and upper banks of streams, riparian zones, and timberland. |
| Sitka Brome seed <i>Bromus sitchensis</i> | | A | Moist soils | 3, 4 | Soil stabilization in disturbed sites, from riparian to uplands. Revegetation of timberland and oak woodlots. Competes with invasive weeds. |
| Slender Wild Rye seed <i>Elymus trachycaulus</i> | 15-45' | A | moist | 2a, 3 | Short-lived, self pollinating. Widely used in restoration. Flood and saline tolerant. Dense, fibrous roots |

2005 Plant Descriptions continued

LEGEND☼Sunlight Conditions

A = Prefers full sun

B = Can tolerate sun or some shade

C = Prefers shade

*Special Uses

1 Attracts insects, bees, butterflies

2a Birds

2b Hummingbirds

3 Wildlife, forage, cover, food

4 Bank stabilization

LARGE SHRUBS / SMALL TREES

| Name | Mature Height | Sun ☼ | Soil Conditions | Special Uses* | Notes |
|---|---------------|-------|------------------------------|-----------------|--|
| Black twinberry <i>Lonicera involucrata</i> | 12' | A-B | Moist forest, streamsid es | 1,3 | Pretty tubular yellow flowers develop into two dark berries per stem. |
| Cascara <i>Rhamnus purshiana</i> | 30' | A-C | Moist, well drained soil | 1, 2a | Also known as Chitum. Silver gray bark has medicinal purposes. Black berries attractive to birds. |
| Elderberry – BLUE <i>Sambucus caerulea</i> | 12' | A-C | Prefers well drained soils | 1, 2a, 2b | Fast growing handsome shrub. Excellent food and cover species. White flower clusters, edible berries. |
| Elderberry –RED <i>Sambucus racemosa</i> | 20' | A-C | Streambanks moist forest | 1, 2a, 2b | Small shrub with white flowers and juicy red berries. Do not eat berries raw. |
| Indian plum <i>Oemleria cerasiformis</i> | 12' | A-C | Dry to moist soil | 1, 2a, 2b | One of the first plants to bloom (Feb/Mar). White flowers yield small purple edible plums. Highly sought by birds. |
| Mock Orange <i>Philadelphus lewisii</i> | 12' | A-B | All but wet soil. | 1, 2a, 2b | Clusters of aromatic white flowers at branch ends. Attracts bees and butterflies. Plant at low elevation. |
| Ocean Spray <i>Holodiscus discolor</i> | 10' | B-C | Dry to moist soils | 1, 2a | Multi-stemmed shrub with creamy white flowers. Used for riparian restoration and wildlife habitat. |
| Pacific ninebark <i>Physocarpus capitatus</i> | 12' | A-C | Moist soils along wetlands | 2a | Large spreading, attractive shrub with round clusters of white flowers. Maple-like leaves, shreddy bark. |
| Pacific Willow <i>Salix lucida var. lasiandra</i> | 45' | A | Moist, all soil types | 1 | Deciduous tree, grows at fast rate. Flowers in April, dioecious. Stem, bark used in basketry. |
| Pacific Crabapple <i>Malus (pyrus) fusca</i> | 36' | A-B | Well-drained, all soil types | 1, 3 | Deciduous, flowers in May. Edible fruit eaten out of hand or made into jellies, preserves; pectin source. |
| Red-osier dogwood <i>Cornus sericea</i> | 20' | A-C | Moist soils along wetlands | 1, 2a, 2b, 3, 4 | Attractive red stems with white flower cluster that produces white berry clusters. Fast growing. |
| Serviceberry <i>Amelanchier alnifolia</i> | 12' | A-B | Dry to moist soils | 1, 2a, 3 | Attractive foliage and white flowers. This is an important wildlife species. |

SMALL SHRUBS / GROUNDCOVERS

| | | | | | |
|---|--------|-----|-----------------------------|--------------|--|
| Clustered wild rose <i>Rosa pisocarpa</i> | 3-5' | A | Moist sites | 1, 2a, 3 | Pale pink rose with sweet fragrance. Can be grown on a variety of sites with sunlight. |
| Douglas spirea <i>Spiraea douglasii</i> | 3-6' | A-B | Prefers moist soils | 1 | Fast growing shrub forming beautiful pinkish spires in bloom (July). Attractive ornamental. |
| Nootka rose <i>Rosa nutkana</i> | 5-7' | A | Adaptable to most soils | 1, 3 | A common roadside species in the valley. Nootka rose has attractive pink blossoms (2" across) in summer. |
| Red flowering currant <i>Ribes sanguineum</i> | 4-8' | A-B | Best on well drained soils | 1, 2a, 2b | Beautiful ornamental shrub with flowers that may be pink to deep red. Attracts butterflies and hummingbirds. |
| Salal <i>Gaultheria shallon</i> | 2-3' | B | Dry to moist soils | 1, 3 | Salal forms a dense low groundcover ideal for areas where tall shrubs are not desired but neither are weeds! Florists commonly use leaves. |
| Snowberry <i>Symphoricarpos albus</i> | 3-5' | A-B | Grows on dry to moist sites | 1, 2a, 2b | Adaptable shrubs having attractive foliage and clusters of waxy white berries that persist through winter. |
| Tall Oregon Grape <i>Mahonia aquifolium</i> | 4-6' | A-C | Dry to fairly moist | 1, 2a, 2b, 3 | State flower of Oregon, having holly like leaves and dark blue edible berries. |
| Dwarf Oregon Grape <i>Mahonia repens</i> | 12-15" | B | Occasional water | 4 | Groundcover, erosion control, evergreen. Spreads to 3-4' wide. Yellow flowers, blue-black fruit. |
| Thimbleberry <i>Rubus parviflorus</i> | 3-6' | C | Moist forest | 1, 2a | Tolerates seasonal flooding, deciduous, pink flower. Fragrant flower and fruit. |
| Golden Currant <i>Ribes aureum</i> | 3-6' | A-B | Moist to dry | 1, 2a | Deciduous shrub. Yellow flowers April to May. Tolerates flooding and drought. Edible berries |
| Salmonberry <i>Rubus spectabilis</i> | | B-C | Seasonal flood, sand, clay | 1, 2a | Thornless deciduous bramble with raspberries. Red flower. |

2005 Plant Descriptions continued

FLOWERS / BULBS / HERBACEOUS

| Name ture | Ma- | Sun | Soil Conditions‡ | Special Uses* | Notes |
|--|----------|-----|--|------------------|--|
| Height | | | | | |
| Douglas Aster <i>Aster subspicatus</i> | 2' | A | Moderate moisture | 1 | Grows in meadows, forest clearings, and salt and fresh water wetlands. Purple flower late summer |
| Slender Cinquefoil <i>Potentilla gracillis</i> | 15-30" | A | Wet grassland and open woods | - | Prefers sandy well-drained soil. Yellow flowers. Runners. |
| Red Columbine <i>Aquilegia formosa</i> | 12-18" | A | Mosit meadows, streams | 1, 2b | Northwest's most common columbine. Red flowers. |
| Fringe Cup <i>Tellima grandiflora</i> | 2' | A | Damp, open ground | 2b | Many 1/2' cream, greenish flowers tinged rosy pink with maturation. Spreads easily |
| River Lupine <i>Lupinus rivularis</i> | 3 - -4' | A-B | Wet meadows, sandy stream- banks | - | Reddish stems, small palmately compound leaves. Purple flowers tipped with white in summer |
| Yarrow <i>Achillea millafolium</i> | 1/2 - 2' | A-B | Low water, poor soil | 1 | Flat topped white flower on fern-like aromatic leaves. Good dried flower. Attracts beneficial bugs. |
| Yellow Monkeyflower <i>Mimulus guttatus</i> | 2' | | Watersheds, Mnt. streams | 2b | Large yellow flowers in late fall. Not drought tolerant. |
| Wood's Strawberry <i>Fragaria vesca</i> | 2 - 8 " | B | Woodland groundcover | 3 | Deciduous groundcover. White to pink flowers in spring and early summer. Edible fruit. |
| Oregon Iris <i>Irix tenax</i> | 1 - 2' | A | Dry meadows, pastures | - | Low growing with grass-like blades. Showy dark blue flower. Natives used leaves for rope-making. |
| Great Camas <i>Camassia leichtlinii</i> | 2 - 4' | A-B | Heavy soil, meadows | - | Star-like slendar petaled blossoms of creamy white or blue on tall spikes in spring. |
| Milkweed <i>Asclepias speciosa</i> | 2 - 3' | A | Moderate moisture | 1 | Beautiful scent, 2-tiered flower with pink petals in summer. Essential host for Monarch butterfly. |

Tree and Shrub Planting Suggestions

To stabilize your streambanks try planting:

- Pacific willow
- Black cottonwood
- Oregon ash
- White or red alder



Want to expand your woodlot? Try planting:

- Douglas fir
- Grand fir
- Western hemlock
- Incense cedar
- Western red cedar
- Oregon white oak



Creating or enhancing a natural wetland?



- Red-osier dogwood
- Oregon ash
- White or red alder
- Black cottonwood
- Pacific willow
- Indian plum
- Tufted hair grass

Planting suggestions:

| Tree purpose | Spacing |
|--|---|
| Streambank stabilization | 2' X 2' |
| Riparian plantings | 8' X 8' |
| Reforestation (conifers and hardwoods) | 6' X 6' |
| Pulpwood | 8' X 8' |
| Timber | 6' X 10' |
| Windbreaks/privacy screens | 3' to 8' apart |
| Multi-row windbreaks/shelterbelts | 6' (within row) X 8'-10' between row |

**Want to attract birds, butterflies
and other wildlife to your backyard ?
Try planting a combination of flowering shrubs.
See *Plant Descriptions*, page 3, for more information.**





NATIVE TREE SALE 2005

Your Name _____ Phone _____

Address _____

Order deadline: Jan 21, 2005 City _____ Zip _____

Order Information

New Policy

send payment (check or money order)
with order

mail order and payment to:

BSWCD, 305 SW C Avenue, Suite 2, Corvallis OR 97333 * FAX: 753-1871

Pick-up Times

For last name beginning with:

A-L Saturday, February 5, 9am-4pm

M-Z Sunday, February 6, 9am-4pm

Pick-up Location

Eichler Hay Company

3079 NE Garden Ave.

Corvallis, Oregon 97330

Off of Hwy 20

North of Circle Blvd

All plants are bare root, unless otherwise noted. Questions? Call BSWCD office at (541) 753-7208

| Common name & size/age | Scientific name | \$ PRICE \$ | QUANTITY | | |
|--------------------------------------|-------------------------------|---------------|--------------|------------------|-------------|
| | | Bundles of 10 | # of Bundles | = | \$ Total \$ |
| CONIFERS | | | | | |
| Douglas Fir (2yr) | <i>Pseudotsuga menziesii</i> | 5.00 | x | | \$ |
| Grand Fir (2yr) | <i>Abies grandis</i> | 8.00 | | | |
| Incense-cedar (2yr band potted) | <i>Calocedrus decurrens</i> | 18.00 | | | |
| Western Hemlock (2yr) | <i>Tsuga heterophylla</i> | 8.00 | | | |
| Western Red Cedar (2yr) | <i>Thuja plicata</i> | 16.00 | | | |
| Willamette Ponderosa Pine (2yr) | <i>Pinus ponderosa</i> | 6.00 | | | |
| Willamette Pond. Pine (12-in plug) | <i>Pinus ponderosa</i> | 14.00 | | | |
| Coast Redwood (2yr plug) new! | <i>Sequoia sempervirens</i> | 19.00 | | | |
| Giant Sequoia (2yr plug) new! | <i>Sequoia giganteum</i> | 18.00 | | | |
| Noble Fir (2yr) new! | <i>Abies procea</i> | 8.00 | | | |
| HARDWOODS | | | | | |
| Big Leaf Maple (1 yr) | <i>Acer macrophyllum</i> | 9.00 | | | |
| Black Cottonwood (18-24 in) | <i>Populus tricoarpa</i> | 12.00 | | | |
| Oregon Ash (1 yr) | <i>Fraxinus latifolia</i> | 9.00 | | | |
| Oregon White Oak (12-18 in) | <i>Quercus garryana</i> | 20.00 | | | |
| Pacific Madrone (1yr - potted) | <i>Arbutus menziesii</i> | 18.00 | | | |
| Red Alder (12-18 in) | <i>Alnus rubra</i> | 8.00 | | | |
| Vine Maple (24-30 in) | <i>Acer circinatum</i> | 10.00 | | | |
| White Alder (18-24 in) | <i>Alnus rhombifolia</i> | 16.00 | | | |
| GRASSES / GRASS SEED | | | | | |
| Tufted Hair Grass (Alesia) | <i>Deschampsia caespitosa</i> | 9.00/6 pack | | | |
| Tufted Hair Grass (Kalapuya) | <i>Deschampsia caespitosa</i> | 8.00/6 pack | | | |
| Roemer's Fescue (4 in pot) | <i>Festuca roemeri</i> | 3.00 each | | | |
| Blue Wild Rye (seed) | <i>Elymus glaucus</i> | 9.50/pound | | | |
| Sitka Brome (seed) | <i>Bromus sitchensis</i> | 8.50/pound | | | |
| Slender Wild Rye (seed) | <i>Elymus tracyacaelus</i> | 12.00/pound | | | |
| | | | | Subtotal: | \$ |

| Common name & size/age | Scientific name | \$ PRICE \$ | | QUANTITY | |
|--|------------------------------------|----------------|---|--------------|-------------|
| LARGE SHRUBS / SMALL TREES | | Bundle of 5 | | # of Bundles | \$ Total \$ |
| Black Twinberry (18-24 in) | <i>Lonicera involucrata</i> | 7.00 | x | | = \$ |
| Cascara (12-18 in) | <i>Rhamnus purshiana</i> | 6.00 | | | |
| Elderberry-BLUE (12-24 in) | <i>Sambucus caerulea</i> | 7.50 | | | |
| Elderberry-RED (12-24 in) | <i>Sambucus racemosa</i> | 7.50 | | | |
| Indian Plum (12-24 in) | <i>Oemleria cerasiformis</i> | 9.00 | | | |
| Mock Orange (18-24 ft) | <i>Philadelphus lewisii</i> | 7.00 | | | |
| Ocean Spray - (12-18 in) | <i>Holodiscus discolor</i> | 7.00 | | | |
| Pacific Ninebark (18-24 in) | <i>Physocarpus capitatus</i> | 7.00 | | | |
| Pacific Willow (24-36 in) | <i>Salix lucida var. lasiandra</i> | 6.00 | | | |
| Pacific Crabapple (18-24 in) new! | <i>Malus (pyrus) fusca</i> | 7.00 | | | |
| Red-osier Dogwood (12-18 in) | <i>Cornus sericea</i> | 6.00 | | | |
| Serviceberry (12-18 in) | <i>Amelanchier alnifolia</i> | 8.50 | | | |
| SMALL SHRUBS / GROUNDCOVERS | | | | | |
| Clustered Rose (18-24 in) | <i>Rosa pisocarpa</i> | 6.00 | | | |
| Douglas Spirea (12-18 in) | <i>Spiraea douglasii</i> | 6.00 | | | |
| Nootka Rose (12-18 in) | <i>Rosa nutkana</i> | 7.50 | | | |
| Red flowering currant (18-24 in) | <i>Ribes sanguineum</i> | 8.00 | | | |
| Salal (small plug) | <i>Gaultheria shallon</i> | 7.00 | | | |
| Snowberry (18-24 in) | <i>Symphoricarpos albus</i> | 8.00 | | | |
| Tall Oregon Grape (12 in) | <i>Mahonia aquifolium</i> | 6.00 | | | |
| Dwarf Oregon Grape (6 in) | <i>Mahonia repens</i> | 6.00 | | | |
| Thimbleberry (18-24 in) | <i>Rubus parviflorus</i> | 8.00 | | | |
| Golden Currant (12-18 in) new! | <i>Ribes aureum</i> | 8.00 | | | |
| Salmonberry (12-18 in) new! | <i>Rubus spectabilis</i> | 7.00 | | | |
| FLOWERS / BULBS / HERBACEOUS | | Assorted sizes | | | |
| Douglas Aster (4 inch pot) new! | <i>Aster subspicatus</i> | 3.00/each | | | |
| Slender Cinquefoil (4 inch pot) new! | <i>Potentilla gracillis</i> | 3.00/each | | | |
| Red Columbine (4 inch pot) new! | <i>Agulegia formosa</i> | 3.00/each | | | |
| Fringe Cup (4 inch pot) new! | <i>Tellima grandiflora</i> | 3.00/each | | | |
| River Lupine (4 inch pot) new! | <i>Lupinus rivularis</i> | 3.00/each | | | |
| Yarrow (4 inch pot) new! | <i>Achillea millafolium</i> | 3.00/each | | | |
| Yellow Monkeyflower (4 inch pot) new! | <i>Mimulus gutatus</i> | 3.00/each | | | |
| Wood Strawberry (5 pack) new! | <i>Fragaria vesca</i> | 4.00/5 pack | | | |
| Oregon Iris (6"-9") new! | <i>Iris tenax</i> | 1.30/each | | | |
| Great Camas (medium bulb) new! | <i>Camassia leichtlinii</i> | .50/bulb | | | |
| Milkweed (medium crown) new! | <i>Asclepias speciosa</i> | 1.00 each | | | |
| Subtotal this page | | | | | |
| Subtotal from front | | | | | |
| TOTAL | | | | | |

United States Department of Agriculture

33630 McFarland Road
Tangent, OR 97389

Phone: (541) 967-5925 X118
Fax: (541) 928-9345

**NOW IS THE TIME TO SIGN UP for the
ENVIRONMENTAL QUALITY INCENTIVES PROGRAM
(EQIP)
in BENTON COUNTY**

The EQIP program is a locally led, voluntary conservation program for farmers and ranchers to address natural resource conservation needs.

The USDA – NRCS provides technical and financial assistance on a cost-share basis to help you treat the natural resource needs on your property.

Need more information or want to submit an application for the EQIP program? Please contact Jim Hecker at the NRCS office listed above.

**THE LAST DAY TO SIGN UP FOR THE
COMING YEAR IS DECEMBER 15, 2004!**

The Natural Resources Conservation Service provides leadership in a partnership effort to help people conserve, maintain, and improve our natural resources and environment.

An Equal Opportunity Provider and Employer



Benton Soil and Water Conservation District
305 SW C Avenue, Suite 2
Corvallis, OR 97333
Phone: (541) 753-7208
Email: bentoncd.@peak.org
Web site: www.peak.org/~bentoncd

NONPROFIT ORG
U.S. POSTAGE
PAID
CORVALLIS, OR
PERMIT NO 112

Enjoy life!
Volunteer with BSWCD!
Enjoy life!
Volunteer with BSWCD!



This newsletter is printed on 30% recycled paper.
Please recycle it again,
or better yet, share the order form with a friend!

Benton SWCD offers the following:

- discounts on large tree and shrub orders
 10% on orders over 100 plants
 25% on orders over 1000 plants
- technical assistance to landowners doing restoration projects
- tree planting equipment

Call 753-7208 for more information.

The Benton SWCD mission:

is to provide leadership to Benton County residents through education and technical assistance for conservation and responsible use of soil, water and related resources through a balanced, cooperative program that protects, restores, and improves these resources.

Board of Directors

Tom Bedell, Chair
Eric Horning, Vice Chair
Cliff Hall, Treasurer
Andy Gallagher
Tim Dehne
Anne Rigor

Associate Directors

Rana Foster
Mark Taratoot



Employees

Jennifer Floro, Office Manager
Donna Schmitz, Watershed Technical Specialist
Chris Stebbins, Fish Passage Program Coordinator
Teresa Matteson, Education and Outreach Director

Conservation Assistant

Scott White

The Benton SWCD is an equal opportunity employer, providing services to the public without regard to race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status.

Potted Natives For Sale

5 gallon potted trees and shrubs are available for \$8.00 each.

Species include:

Grand fir, Douglas Fir, Western Hemlock, Black Twinberry, Indian Plum, Red Alder, Big Leaf Maple and Vine Maple.

To order, contact our office at 753-7208 or purchase the potted plants at the native tree sale pick-up site on February 5-6, 2005.